



Combo Buckets



Combo Buckets – A Versatile Combination


The Gar-Bro Combo Bucket is a vertical front bucket with a plate-type lifting bail, forklift pockets, and the Double Clamshell Gate as standard features. The exclusive slide-on attachments feature easy removal and installation of versatile accessories for a range of concrete placement solutions. Gar-Bro Combo buckets will handle concrete with up to 1-inch aggregate and slumps of 4 inches or greater. Additional details and parts information available at WWW.GARBRO.COM/COMBO.HTM.

Item No.	Rated Capacity Cubic Yards	Loading Height Inches	Overall Suspended Height	CL to CL Forkpockets Inches	Outside Dimensions Inches	Weight Pounds
4911	1/3	38	48	35	38 x 43	380
4914	1/2	43	52	35	38 x 43	390
4920	3/4	51	61	35	38 x 43	430
4928	1	56	66	35	43 x 43	500
*4940	1 1/2	62	71	53	61 x 64	830
*4958	2	67	76	53	61 x 64	945
*4983	3	80	90	53	61 x 64	1,120


*Forkpocket spacing may require wide carriage on machine to accommodate bucket.




Combo Buckets Attachments




Item RSC Rubber Side Chute for side discharge of concrete in forms, against walls, etc.



Item VD-6 or VD-8 Vertical Discharge Chute attachment allows placement of concrete in forms and minimizes segregation due to free-fall.




Items LRSC and CSSC Long Side Chutes divert concrete discharge toward the front of the bucket.



Item GAC-4 grouting attachment for placement of grout in confined places.

Note: The GAG-4 requires grout with a slump greater than 10 inches and aggregate sizes of less than 1/4 inch.



The Combo Bucket's exclusive slide-on attachment feature allows easy removal and installation of several accessories which enhance the versatility of the combo bucket.

Item No.	Rated Capacity Cu.Yd	Weight (Pounds)	Top Opening A (in)	Top Opening B (in)	Loading Height C (in)	Suspended Height D (in)	Overall Height E (in)	CL to CL Forkpockets (inches)
4911	1/3	380	33	33	38	48	50	35
4914	1/2	390	33	33	43	52	54	35
4920	3/4	430	33	33	51	61	63	35
4928	1	500	38	38	56	66	68	35
4940	1 1/2	830	53	53	62	71	73	53
4958	2	945	53	53	67	76	78	53
4983	3	1120	53	53	80	90	92	53

GAR-BRO MANUFACTURING CO.
 104 BOLTON SULLIVAN DRIVE P.O. DRAWER 1077
 HEBER SPRINGS, ARKANSAS - 72543-1077
"COMBO" BUCKETS
 with
10"x15" DOUBLE CLAMSHELL GATE
 SCALE NONE SHOP NO. SALES
 DATE 2-4-93
 REVISED 10-10-05 DRAWING NO.
 MADE BY DCG **89-11**
 CHANGED TO/FROM
 SUPERSEDES SHEET AB OF

2.

GAR-BRO MANUFACTURING CO.
 104 BOLTON SULLIVAN DRIVE P.O. DRAWER 1077
 HEBER SPRINGS, ARKANSAS - 72543-1077
ITEM GAC-4
GROUTING ATTACHMENT
 SCALE NONE SHOP NO. SALES
 DATE 1-13-97
 REVISED 7-11-98 DRAWING NO.
 MADE BY DCG **97-35**
 CHANGED TO/FROM
 SUPERSEDES SHEET AA OF

Combo Bucket Attachments

1. Combo Buckets with 10"x15" Double Clamshell Gate
2. Item GAC-4 Grout Attachment
3. Combo Bucket Tremie Attachments
4. Item LRSC Extended Rubber Side Chute
5. Item CSSC Steel Side Chute

3.

GAR-BRO MANUFACTURING CO.
 104 BOLTON SULLIVAN DRIVE P.O. DRAWER 1077
 HEBER SPRINGS, ARKANSAS - 72543-1077
"COMBO" BUCKET ATTACHMENTS
 SCALE NONE SHOP NO. SALES
 DATE 2-8-93
 REVISED 11-16-00 DRAWING NO.
 MADE BY DCG **89-11**
 CHANGED TO/FROM
 SUPERSEDES SHEET AC OF

4.

GAR-BRO MANUFACTURING CO.
 104 BOLTON SULLIVAN DRIVE P.O. DRAWER 1077
 HEBER SPRINGS, ARKANSAS - 72543-1077
ITEM LRSC
LONG RUBBER SIDE CHUTE
FOR "COMBO" BUCKETS
 SCALE NONE SHOP NO. SALES
 DATE 1-13-98
 REVISED 1-13-98 DRAWING NO.
 MADE BY DCG **96-37**
 CHANGED TO/FROM
 SUPERSEDES SHEET AA OF

5.

GAR-BRO MANUFACTURING CO.
 104 BOLTON SULLIVAN DRIVE P.O. DRAWER 1077
 HEBER SPRINGS, ARKANSAS - 72543-1077
GAR-BRO ITEM "CSSC"
STEEL SIDE CHUTE
FOR "COMBO" BUCKETS
 SCALE NONE SHOP NO. SALES
 DATE 8-1-95
 REVISED 2-3-04 DRAWING NO.
 MADE BY DCG **95-45**
 CHANGED TO/FROM
 SUPERSEDES SHEET AA OF
 CHUTE WT: 50 LBS



Gar-Bro Manufacturing Company

P.O. Drawer 1077 • 104 Bolton Sullivan Drive • Heber Springs, Arkansas 72543-1077
 Phone: (501) 362-8171 • Internet Address: <http://www.garbro.com> • E-Mail: GARBROCO@GARBRO.COM
 Orders Toll Free Number: (800) 643-8192 • 24 HR Toll Free Fax: (888) 643-8192 • Fax: (501) 362-7123